

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES
OF WILD FAUNA AND FLORA



Twenty-seventh meeting of the Animals Committee
Veracruz (Mexico), 28 April – 3 May 2014

Interpretation and implementation of the Convention

Species trade and conservation

Snake trade and conservation management (Serpentes spp.)

IUCN RED LIST ASSESSMENTS OF ASIAN SNAKE SPECIES
[DECISION 16.104]

1. This document has been prepared by the Secretariat in consultation with the International Union for Conservation of Nature (IUCN).
2. At its 16th meeting (CoP16, Bangkok, 2013), the Conference of the Parties adopted Decision 16.104, directed to the Animals Committee, as follows:

The Animals Committee shall, at its 27th meeting, consider the final IUCN red list assessments for Asian snake species and, if available, incorporate new information and data and make appropriate recommendations, including recommendations to the Standing Committee.
3. IUCN convened workshops in China (2011) and India (2010) to assess the extinction risk of snake species. A total of 512 species were considered, and the results for 402 species were published on the Red List of Threatened Species (www.iucnredlist.org). An assessment of the remaining 110 species is currently in the process of being finalized.
4. Thirty-four of the snake species considered in the workshops and published on the IUCN Red List of Threatened Species are threatened (Critically Endangered: 5 species; Endangered: 12; and Vulnerable: 17). A further eight species were listed as Near Threatened and 254 as Least Concern. A relatively large number of species (106) was categorized as 'Data Deficient', meaning there was not enough information to determine whether these species were threatened or not. The provisional assessments of the remaining 110 species indicate that 11 were likely to be threatened.
5. Of the 402 species published on the IUCN Red List of Threatened Species, 64 were reported as being in international trade. Ten of these species are listed on CITES Appendix II, but only five are considered threatened on the IUCN Red List (*Naja madalayensis*, *N. siamensis*, *Ophiophagus hannah*, *Python bivittatus*, *P. kyaiktiyo*).
6. A list of the Asian snake species published on the IUCN Red List of Threatened Species is presented in the Annex to this document. Additionally, IUCN intends to submit an information document focusing on individual species that are of conservation concern and threatened by trade, and encompassing the whole data set that has been analysed (i.e. not restricted to species on the Red List only).
7. If available, Parties, intergovernmental organizations, non-governmental organizations, experts and other stakeholders are invited to provide the Animals Committee with additional or new conservation status information and data to complement or update the IUCN Red List assessments for Asian snake species.

Recommendation

8. The Animals Committee is invited to consider the IUCN Red List results for Asian snake species and any additional information that may be available and, as appropriate, formulate recommendations, including to the Standing Committee.

SUMMARY OF 402 ASIAN SNAKE SPECIES
FROM THE RED LIST OF THREATENED SPECIES

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
ACROCHORDIDAE	<i>Acrochordus</i>	<i>granulatus</i>	LC	-
ACROCHORDIDAE	<i>Acrochordus</i>	<i>javanicus</i>	LC	-
ANOMOCHILIDAE	<i>Anomochilus</i>	<i>leonardi</i>	LC	-
ANOMOCHILIDAE	<i>Anomochilus</i>	<i>monticola</i>	DD	-
ANOMOCHILIDAE	<i>Anomochilus</i>	<i>weberi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>abramovi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>abstrusa</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>albiventer</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>alidae</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>battersbyi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>bicolor</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>borneensis</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>buchi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>concolor</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>crassa</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>doederleini</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>eiselti</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>everetti</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>forcarti</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>gjalaiensis</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>gimletti</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>grabowskyi</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>gracilima</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>griswoldi</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>hilleniusi</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>ingeri</i>	CR	-
CALAMARIIDAE	<i>Calamaria</i>	<i>javanica</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>lateralis</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>lautensis</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>leucogaster</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>linnaei</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>lovii</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>lumbricoidea</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>lumholtzi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>margaritophora</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>mecheli</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>melanota</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>modesta</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>pavimentata</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>prakkei</i>	CR	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
CALAMARIIDAE	<i>Calamaria</i>	<i>rebentischi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>sangi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>schlegeli</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>schmidti</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>septentrionalis</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>suluensis</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>sumatrana</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>thanhi</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>ulmeri</i>	DD	-
CALAMARIIDAE	<i>Calamaria</i>	<i>virgulata</i>	LC	-
CALAMARIIDAE	<i>Calamaria</i>	<i>yunnanensis</i>	EN	-
CALAMARIIDAE	<i>Collorhabdium</i>	<i>williamsoni</i>	LC	-
CALAMARIIDAE	<i>Etheridgeum</i>	<i>pulchrum</i>	DD	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>chanardi</i>	LC	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>gentingensis</i>	LC	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>jasoni</i>	LC	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>lateralis</i>	LC	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>schulzi</i>	LC	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>tweediei</i>	LC	-
CALAMARIIDAE	<i>Macrocalamus</i>	<i>vogeli</i>	LC	-
CALAMARIIDAE	<i>Pseudorabdion</i>	<i>albonuchalis</i>	LC	-
CALAMARIIDAE	<i>Pseudorabdion</i>	<i>collaris</i>	LC	-
CALAMARIIDAE	<i>Pseudorabdion</i>	<i>eiselti</i>	LC	-
CALAMARIIDAE	<i>Pseudorabdion</i>	<i>longiceps</i>	LC	-
CALAMARIIDAE	<i>Pseudorabdion</i>	<i>saravacense</i>	LC	-
COLUBRIDAE	<i>Ahaetulla</i>	<i>fasciolata</i>	LC	-
COLUBRIDAE	<i>Ahaetulla</i>	<i>fronticincta</i>	LC	-
COLUBRIDAE	<i>Ahaetulla</i>	<i>mycterizans</i>	LC	-
COLUBRIDAE	<i>Ahaetulla</i>	<i>prasina</i>	LC	-
COLUBRIDAE	<i>Blythia</i>	<i>reticulata</i>	DD	-
COLUBRIDAE	<i>Boiga</i>	<i>bengkuluensis</i>	DD	-
COLUBRIDAE	<i>Boiga</i>	<i>bourreti</i>	EN	-
COLUBRIDAE	<i>Boiga</i>	<i>cynodon</i>	LC	-
COLUBRIDAE	<i>Boiga</i>	<i>drapiezii</i>	LC	-
COLUBRIDAE	<i>Boiga</i>	<i>guangxiensis</i>	LC	-
COLUBRIDAE	<i>Boiga</i>	<i>jaspidea</i>	LC	-
COLUBRIDAE	<i>Boiga</i>	<i>kraepelini</i>	LC	-
COLUBRIDAE	<i>Boiga</i>	<i>nigriceps</i>	LC	-
COLUBRIDAE	<i>Boiga</i>	<i>saengsomi</i>	EN	-
COLUBRIDAE	<i>Boiga</i>	<i>walli</i>	LC	-
COLUBRIDAE	<i>Chrysopelea</i>	<i>pelias</i>	LC	-
COLUBRIDAE	<i>Coelognathus</i>	<i>enganensis</i>	DD	-
COLUBRIDAE	<i>Coelognathus</i>	<i>flavolineatus</i>	LC	-
COLUBRIDAE	<i>Colubroelaps</i>	<i>nguyenvansangi</i>	DD	-
COLUBRIDAE	<i>Cyclophiops</i>	<i>hamptoni</i>	DD	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
COLUBRIDAE	<i>Cyclophiops</i>	<i>multicinctus</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>cyanochloris</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>formosus</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>haasi</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>hollinrakei</i>	DD	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>kopsteini</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>ngansonensis</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>striatus</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>subocularis</i>	LC	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>underwoodi</i>	DD	-
COLUBRIDAE	<i>Dendrelaphis</i>	<i>walli</i>	LC	-
COLUBRIDAE	<i>Dryocalamus</i>	<i>davisonii</i>	LC	-
COLUBRIDAE	<i>Dryocalamus</i>	<i>subannulatus</i>	LC	-
COLUBRIDAE	<i>Dryocalamus</i>	<i>tristrigatus</i>	LC	-
COLUBRIDAE	<i>Dryophiops</i>	<i>rubescens</i>	LC	-
COLUBRIDAE	<i>Elaphe</i>	<i>bimaculata</i>	LC	-
COLUBRIDAE	<i>Elapoidis</i>	<i>fusca</i>	LC	-
COLUBRIDAE	<i>Euprepiophis</i>	<i>mandarinus</i>	LC	-
COLUBRIDAE	<i>Euprepiophis</i>	<i>perlacea</i>	EN	-
COLUBRIDAE	<i>Gongylosoma</i>	<i>baliodeirus</i>	LC	-
COLUBRIDAE	<i>Gongylosoma</i>	<i>longicauda</i>	LC	-
COLUBRIDAE	<i>Gongylosoma</i>	<i>mukutense</i>	CR	-
COLUBRIDAE	<i>Gongylosoma</i>	<i>scripta</i>	LC	-
COLUBRIDAE	<i>Gonyophis</i>	<i>margaritatus</i>	LC	-
COLUBRIDAE	<i>Gonyosoma</i>	<i>oxycephalum</i>	LC	-
COLUBRIDAE	<i>Iguanognathus</i>	<i>weneri</i>	DD	-
COLUBRIDAE	<i>Lepturophis</i>	<i>albofuscus</i>	LC	-
COLUBRIDAE	<i>Liopeltis</i>	<i>frenatus</i>	LC	-
COLUBRIDAE	<i>Liopeltis</i>	<i>stolickzae</i>	LC	-
COLUBRIDAE	<i>Liopeltis</i>	<i>tricolor</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>butleri</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>capucinus</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>cardamomensis</i>	DD	-
COLUBRIDAE	<i>Lycodon</i>	<i>effraenis</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>flavozonatus</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>futsingensis</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>gongshan</i>	DD	-
COLUBRIDAE	<i>Lycodon</i>	<i>jara</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>kundui</i>	DD	-
COLUBRIDAE	<i>Lycodon</i>	<i>laensis</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>meridionale</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>ophiophagus</i>	LC	-
COLUBRIDAE	<i>Lycodon</i>	<i>paucifasciatus</i>	VU	-
COLUBRIDAE	<i>Lycodon</i>	<i>rosozonatus</i>	DD	-
COLUBRIDAE	<i>Lycodon</i>	<i>subcinctus</i>	LC	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
COLUBRIDAE	<i>Lycodon</i>	<i>synaptor</i>	DD	-
COLUBRIDAE	<i>Lycodon</i>	<i>zawi</i>	LC	-
COLUBRIDAE	<i>Maculophis</i>	<i>bella</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>annamensis</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>annulifer</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>barroni</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>bitorquatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>booliati</i>	CR	-
COLUBRIDAE	<i>Oligodon</i>	<i>chinensis</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>cinereus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>cruentatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>deuvei</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>durheimi</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>eberhardti</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>everetti</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>fasciolatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>hamptoni</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>inornatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>jintakunei</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>joynsoni</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>lacroixi</i>	VU	-
COLUBRIDAE	<i>Oligodon</i>	<i>lungshenensis</i>	NT	-
COLUBRIDAE	<i>Oligodon</i>	<i>macrurus</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>mcdougalli</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>meyerinkii</i>	EN	-
COLUBRIDAE	<i>Oligodon</i>	<i>moricei</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>mouhoti</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>multizonatus</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>ningshaanensis</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>ocellatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>octolineatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>ornatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>petronellae</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>planiceps</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>praefrontalis</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>pseudotaeniatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>pulcherrimus</i>	VU	-
COLUBRIDAE	<i>Oligodon</i>	<i>purpurascens</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>saintgironsi</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>signatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>splendidus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>taeniatus</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>theobaldi</i>	LC	-
COLUBRIDAE	<i>Oligodon</i>	<i>torquatus</i>	DD	-
COLUBRIDAE	<i>Oligodon</i>	<i>trilineatus</i>	LC	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
COLUBRIDAE	<i>Oligodon</i>	<i>vertebralis</i>	DD	-
COLUBRIDAE	<i>Oocatochus</i>	<i>rufodorsatus</i>	LC	-
COLUBRIDAE	<i>Oreocalamus</i>	<i>hanitschi</i>	LC	-
COLUBRIDAE	<i>Orthriophis</i>	<i>moellendorfi</i>	VU	-
COLUBRIDAE	<i>Ptyas</i>	<i>carinata</i>	LC	-
COLUBRIDAE	<i>Ptyas</i>	<i>fusca</i>	LC	-
COLUBRIDAE	<i>Rhadinophis</i>	<i>prasina</i>	LC	-
COLUBRIDAE	<i>Rhynchophis</i>	<i>boulengeri</i>	LC	-
COLUBRIDAE	<i>Sibynophis</i>	<i>bistrigatus</i>	DD	-
COLUBRIDAE	<i>Sibynophis</i>	<i>collaris</i>	LC	-
COLUBRIDAE	<i>Sibynophis</i>	<i>geminatus</i>	LC	-
COLUBRIDAE	<i>Sibynophis</i>	<i>melanocephalus</i>	LC	-
COLUBRIDAE	<i>Stegonotus</i>	<i>borneensis</i>	LC	-
COLUBRIDAE	<i>Tetralepis</i>	<i>fruhstorferi</i>	VU	-
COLUBRIDAE	<i>Xenelaphis</i>	<i>ellipsifer</i>	LC	-
COLUBRIDAE	<i>Xenelaphis</i>	<i>hexagonotus</i>	LC	-
CYLINDROPHIIDAE	<i>Cylindrophis</i>	<i>engkariensis</i>	DD	-
CYLINDROPHIIDAE	<i>Cylindrophis</i>	<i>lineatus</i>	DD	-
CYLINDROPHIIDAE	<i>Cylindrophis</i>	<i>ruffus</i>	LC	-
DIPSADIDAE	<i>Thermophis</i>	<i>baileyi</i>	VU	-
ELAPIDAE	<i>Bungarus</i>	<i>candidus</i>	LC	-
ELAPIDAE	<i>Bungarus</i>	<i>fasciatus</i>	LC	-
ELAPIDAE	<i>Bungarus</i>	<i>flaviceps</i>	LC	-
ELAPIDAE	<i>Bungarus</i>	<i>magnimaculatus</i>	LC	-
ELAPIDAE	<i>Bungarus</i>	<i>multicinctus</i>	LC	-
ELAPIDAE	<i>Bungarus</i>	<i>slowinskii</i>	VU	-
ELAPIDAE	<i>Bungarus</i>	<i>wanghaotingi</i>	LC	-
ELAPIDAE	<i>Calliophis</i>	<i>bivirgata</i>	LC	-
ELAPIDAE	<i>Calliophis</i>	<i>gracilis</i>	DD	-
ELAPIDAE	<i>Calliophis</i>	<i>intestinalis</i>	LC	-
ELAPIDAE	<i>Calliophis</i>	<i>maculiceps</i>	LC	-
ELAPIDAE	<i>Naja</i>	<i>kaouthia</i>	LC	Appendix II
ELAPIDAE	<i>Naja</i>	<i>mandalayensis</i>	VU	Appendix II
ELAPIDAE	<i>Naja</i>	<i>siamensis</i>	VU	Appendix II
ELAPIDAE	<i>Naja</i>	<i>sputatrix</i>	LC	Appendix II
ELAPIDAE	<i>Naja</i>	<i>sumatrana</i>	LC	Appendix II
ELAPIDAE	<i>Ophiophagus</i>	<i>hannah</i>	VU	Appendix II
ELAPIDAE	<i>Sinomicrurus</i>	<i>kelloggi</i>	LC	-
ELAPIDAE	<i>Sinomicrurus</i>	<i>sauteri</i>	LC	-
GERRHOPIIIDAE	<i>Gerrhopilus</i>	<i>bisubocularis</i>	DD	-
GERRHOPIIIDAE	<i>Gerrhopilus</i>	<i>floweri</i>	DD	-
NATRICIDAE	<i>Amphiesma</i>	<i>andreae</i>	DD	-
NATRICIDAE	<i>Amphiesma</i>	<i>arcus</i>	DD	-
NATRICIDAE	<i>Amphiesma</i>	<i>bitaeniatum</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>boulengeri</i>	LC	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
NATRICIDAE	<i>Amphiesma</i>	<i>deschauenseei</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>flavifrons</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>frenatum</i>	DD	-
NATRICIDAE	<i>Amphiesma</i>	<i>groundwateri</i>	DD	-
NATRICIDAE	<i>Amphiesma</i>	<i>inas</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>kerinciense</i>	DD	-
NATRICIDAE	<i>Amphiesma</i>	<i>leucomystax</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>metusia</i>	EN	-
NATRICIDAE	<i>Amphiesma</i>	<i>miyajimae</i>	VU	-
NATRICIDAE	<i>Amphiesma</i>	<i>modestum</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>petersii</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>popei</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>sanguineum</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>sarawacense</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>sauteri</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>taronensis</i>	NT	-
NATRICIDAE	<i>Amphiesma</i>	<i>venningi</i>	LC	-
NATRICIDAE	<i>Amphiesma</i>	<i>viperinum</i>	DD	-
NATRICIDAE	<i>Amphiesmoides</i>	<i>ornaticeps</i>	LC	-
NATRICIDAE	<i>Anoplohydrus</i>	<i>aemulans</i>	DD	-
NATRICIDAE	<i>Atretium</i>	<i>yunnanensis</i>	LC	-
NATRICIDAE	<i>Hydrablabe</i>	<i>periops</i>	LC	-
NATRICIDAE	<i>Hydrablabe</i>	<i>praefrontalis</i>	DD	-
NATRICIDAE	<i>Macropisthodon</i>	<i>flaviceps</i>	LC	-
NATRICIDAE	<i>Macropisthodon</i>	<i>rhodomelas</i>	LC	-
NATRICIDAE	<i>Macropisthodon</i>	<i>rudis</i>	LC	-
NATRICIDAE	<i>Natrix</i>	<i>natrix</i>	LC	-
NATRICIDAE	<i>Natrix</i>	<i>tessellata</i>	LC	-
NATRICIDAE	<i>Opisthotropis</i>	<i>andersonii</i>	NT	-
NATRICIDAE	<i>Opisthotropis</i>	<i>cheni</i>	LC	-
NATRICIDAE	<i>Opisthotropis</i>	<i>cucae</i>	DD	-
NATRICIDAE	<i>Opisthotropis</i>	<i>daovantieni</i>	NT	-
NATRICIDAE	<i>Opisthotropis</i>	<i>guangxiensis</i>	NT	-
NATRICIDAE	<i>Opisthotropis</i>	<i>jacobi</i>	DD	-
NATRICIDAE	<i>Opisthotropis</i>	<i>lateralis</i>	LC	-
NATRICIDAE	<i>Opisthotropis</i>	<i>latouchii</i>	LC	-
NATRICIDAE	<i>Opisthotropis</i>	<i>maculosa</i>	DD	-
NATRICIDAE	<i>Opisthotropis</i>	<i>maxwelli</i>	DD	-
NATRICIDAE	<i>Opisthotropis</i>	<i>rugosa</i>	LC	-
NATRICIDAE	<i>Opisthotropis</i>	<i>spenceri</i>	DD	-
NATRICIDAE	<i>Opisthotropis</i>	<i>tamdaoensis</i>	DD	-
NATRICIDAE	<i>Opisthotropis</i>	<i>typica</i>	LC	-
NATRICIDAE	<i>Parahelicops</i>	<i>annamensis</i>	DD	-
NATRICIDAE	<i>Parahelicops</i>	<i>boonsongi</i>	DD	-
NATRICIDAE	<i>Pararhabdophis</i>	<i>chapaensis</i>	DD	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
NATRICIDAE	<i>Paratapinophis</i>	<i>praemaxillaris</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>adleri</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>angeli</i>	DD	-
NATRICIDAE	<i>Rhabdophis</i>	<i>callichroma</i>	DD	-
NATRICIDAE	<i>Rhabdophis</i>	<i>chrysargoides</i>	DD	-
NATRICIDAE	<i>Rhabdophis</i>	<i>chrysargos</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>conspicillatus</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>leonardi</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>murudensis</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>nigrocinctus</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>nuchalis</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>pentasupralabialis</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>subminiatus</i>	LC	-
NATRICIDAE	<i>Rhabdophis</i>	<i>swinhonis</i>	LC	-
NATRICIDAE	<i>Sinonatrix</i>	<i>aequifasciata</i>	LC	-
NATRICIDAE	<i>Sinonatrix</i>	<i>percarinata</i>	LC	-
NATRICIDAE	<i>Sinonatrix</i>	<i>yunnanensis</i>	LC	-
NATRICIDAE	<i>Xenochrophis</i>	<i>bellula</i>	DD	-
NATRICIDAE	<i>Xenochrophis</i>	<i>flavipunctatus</i>	LC	-
NATRICIDAE	<i>Xenochrophis</i>	<i>maculatus</i>	LC	-
NATRICIDAE	<i>Xenochrophis</i>	<i>melanozostus</i>	LC	-
NATRICIDAE	<i>Xenochrophis</i>	<i>punctulatus</i>	LC	-
NATRICIDAE	<i>Xenochrophis</i>	<i>trianguligerus</i>	LC	-
NATRICIDAE	<i>Xenochrophis</i>	<i>vitattus</i>	LC	-
PAREATIDAE	<i>Aplopeltura</i>	<i>boa</i>	LC	-
PAREATIDAE	<i>Asthenodipsas</i>	<i>laevis</i>	LC	-
PAREATIDAE	<i>Asthenodipsas</i>	<i>malaccanus</i>	LC	-
PAREATIDAE	<i>Asthenodipsas</i>	<i>vertebralis</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>boulengeri</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>carinatus</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>formosensis</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>hamptoni</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>margaritophorus</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>nigriceps</i>	DD	-
PAREATIDAE	<i>Pareas</i>	<i>nuchalis</i>	LC	-
PAREATIDAE	<i>Pareas</i>	<i>stanleyi</i>	DD	-
PSAMMOPHIIDAE	<i>Psammophis</i>	<i>indochinensis</i>	LC	-
PSEUDOXENODONTIDAE	<i>Plagiopholis</i>	<i>blakewayi</i>	LC	-
PSEUDOXENODONTIDAE	<i>Plagiopholis</i>	<i>delacouri</i>	DD	-
PSEUDOXENODONTIDAE	<i>Plagiopholis</i>	<i>nuchalis</i>	LC	-
PSEUDOXENODONTIDAE	<i>Plagiopholis</i>	<i>styani</i>	LC	-
PSEUDOXENODONTIDAE	<i>Plagiopholis</i>	<i>unipostocularis</i>	DD	-
PSEUDOXENODONTIDAE	<i>Pseudoxenodon</i>	<i>bambusicola</i>	LC	-
PSEUDOXENODONTIDAE	<i>Pseudoxenodon</i>	<i>baramensis</i>	DD	-
PSEUDOXENODONTIDAE	<i>Pseudoxenodon</i>	<i>inornatus</i>	LC	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
PSEUDOXENODONTIDAE	<i>Pseudoxenodon</i>	<i>jacobsonii</i>	DD	-
PSEUDOXENODONTIDAE	<i>Pseudoxenodon</i>	<i>macrops</i>	LC	-
PYTHONIDAE	<i>Python</i>	<i>bivittatus</i>	VU	Appendix II
PYTHONIDAE	<i>Python</i>	<i>breitensteini</i>	LC	Appendix II
PYTHONIDAE	<i>Python</i>	<i>brongersmai</i>	LC	Appendix II
PYTHONIDAE	<i>Python</i>	<i>kyaiktiyo</i>	VU	Appendix II
TYPHLOPIDAE	<i>Ramphotyphlops</i>	<i>albiceps</i>	LC	-
TYPHLOPIDAE	<i>Ramphotyphlops</i>	<i>lineatus</i>	LC	-
TYPHLOPIDAE	<i>Ramphotyphlops</i>	<i>lorenzi</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>bothriorhynchus</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>diardii</i>	LC	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>giandinhensis</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>hypsobothrius</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>klemmeri</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>koekkoeki</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>koshunensis</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>lazelli</i>	CR	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>muelleri</i>	LC	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>oatesii</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>ozakiae</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>roxanaeae</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>siamensis</i>	DD	-
TYPHLOPIDAE	<i>Typhlops</i>	<i>trangensis</i>	DD	-
VIPERIDAE	<i>Azemiops</i>	<i>feae</i>	LC	-
VIPERIDAE	<i>Calloselasma</i>	<i>rhodostoma</i>	LC	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>albolabris</i>	LC	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>cardamomensis</i>	LC	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>honsonensis</i>	VU	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>kanburiensis</i>	EN	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>macrops</i>	LC	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>purpureomaculatus</i>	LC	-
VIPERIDAE	<i>Cryptelytrops</i>	<i>rubeus</i>	VU	-
VIPERIDAE	<i>Daboia</i>	<i>siamensis</i>	LC	-
VIPERIDAE	<i>Garthius</i>	<i>chasei</i>	LC	-
VIPERIDAE	<i>Gloydus</i>	<i>monticola</i>	DD	-
VIPERIDAE	<i>Gloydus</i>	<i>saxatilis</i>	LC	-
VIPERIDAE	<i>Gloydus</i>	<i>shedaensis</i>	VU	-
VIPERIDAE	<i>Himalayophis</i>	<i>tibetanus</i>	LC	-
VIPERIDAE	<i>Ovophis</i>	<i>convictus</i>	LC	-
VIPERIDAE	<i>Ovophis</i>	<i>makazayazaya</i>	LC	-
VIPERIDAE	<i>Ovophis</i>	<i>monticola</i>	LC	-
VIPERIDAE	<i>Ovophis</i>	<i>tonkinensis</i>	LC	-
VIPERIDAE	<i>Ovophis</i>	<i>zayuensis</i>	LC	-
VIPERIDAE	<i>Parias</i>	<i>hageni</i>	LC	-
VIPERIDAE	<i>Parias</i>	<i>malcolmi</i>	NT	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
VIPERIDAE	<i>Parias</i>	<i>sumatranus</i>	LC	-
VIPERIDAE	<i>Popeia</i>	<i>barati</i>	LC	-
VIPERIDAE	<i>Popeia</i>	<i>buniana</i>	EN	-
VIPERIDAE	<i>Popeia</i>	<i>fucata</i>	LC	-
VIPERIDAE	<i>Popeia</i>	<i>nebularis</i>	VU	-
VIPERIDAE	<i>Popeia</i>	<i>popeiorum</i>	LC	-
VIPERIDAE	<i>Popeia</i>	<i>sabahi</i>	LC	-
VIPERIDAE	<i>Popeia</i>	<i>toba</i>	DD	-
VIPERIDAE	<i>Protobothrops</i>	<i>cornutus</i>	NT	-
VIPERIDAE	<i>Protobothrops</i>	<i>jerdonii</i>	LC	-
VIPERIDAE	<i>Protobothrops</i>	<i>kaulbacki</i>	DD	-
VIPERIDAE	<i>Protobothrops</i>	<i>mangshanensis</i>	EN	-
VIPERIDAE	<i>Protobothrops</i>	<i>maolanensis</i>	DD	-
VIPERIDAE	<i>Protobothrops</i>	<i>mucrosquamatus</i>	LC	-
VIPERIDAE	<i>Protobothrops</i>	<i>sieversorum</i>	EN	-
VIPERIDAE	<i>Protobothrops</i>	<i>trungkhanhensis</i>	EN	-
VIPERIDAE	<i>Protobothrops</i>	<i>xiangchengensis</i>	LC	-
VIPERIDAE	<i>Sinovipera</i>	<i>sichuanensis</i>	DD	-
VIPERIDAE	<i>Trimeresurus</i>	<i>andalasensis</i>	LC	-
VIPERIDAE	<i>Trimeresurus</i>	<i>borneensis</i>	LC	-
VIPERIDAE	<i>Trimeresurus</i>	<i>brongersmai</i>	NT	-
VIPERIDAE	<i>Trimeresurus</i>	<i>gracilis</i>	LC	-
VIPERIDAE	<i>Trimeresurus</i>	<i>puniceus</i>	LC	-
VIPERIDAE	<i>Trimeresurus</i>	<i>wiroti</i>	LC	-
VIPERIDAE	<i>Tropidolaemus</i>	<i>subannulatus</i>	LC	-
VIPERIDAE	<i>Tropidolaemus</i>	<i>wagleri</i>	LC	-
VIPERIDAE	<i>Viridovipera</i>	<i>gumprechtii</i>	LC	-
VIPERIDAE	<i>Viridovipera</i>	<i>medoensis</i>	DD	-
VIPERIDAE	<i>Viridovipera</i>	<i>stejnegeri</i>	LC	-
VIPERIDAE	<i>Viridovipera</i>	<i>truongsonensis</i>	EN	-
VIPERIDAE	<i>Viridovipera</i>	<i>vogeli</i>	LC	-
VIPERIDAE	<i>Viridovipera</i>	<i>yunnanensis</i>	LC	-
XENODERMATIDAE	<i>Achalinus</i>	<i>ater</i>	LC	-
XENODERMATIDAE	<i>Achalinus</i>	<i>formosanus</i>	LC	-
XENODERMATIDAE	<i>Achalinus</i>	<i>jinggangensis</i>	DD	-
XENODERMATIDAE	<i>Achalinus</i>	<i>meiguensis</i>	LC	-
XENODERMATIDAE	<i>Achalinus</i>	<i>niger</i>	LC	-
XENODERMATIDAE	<i>Achalinus</i>	<i>rufescens</i>	LC	-
XENODERMATIDAE	<i>Achalinus</i>	<i>spinalis</i>	LC	-
XENODERMATIDAE	<i>Fimbrios</i>	<i>klossi</i>	LC	-
XENODERMATIDAE	<i>Fimbrios</i>	<i>smithi</i>	DD	-
XENODERMATIDAE	<i>Stoliczka</i>	<i>borneensis</i>	LC	-
XENODERMATIDAE	<i>Xenodermus</i>	<i>javanicus</i>	LC	-
XENOPELTIDAE	<i>Xenopeltis</i>	<i>hainanensis</i>	LC	-
XENOPELTIDAE	<i>Xenopeltis</i>	<i>unicolor</i>	LC	-

FAMILY	GENUS	SPECIES	CATEGORY	CITES APPENDIX
XENOPHIIDAE	<i>Xenophidion</i>	<i>acanthognathus</i>	DD	-
XENOPHIIDAE	<i>Xenophidion</i>	<i>schaeferi</i>	DD	-