

CONVENTION ON INTERNATIONAL TRADE IN ENDANGERED SPECIES OF WILD FAUNA AND FLORA

---

Twelfth meeting of the Conference of the Parties  
Santiago (Chile), 3-15 November 2002

Strategic and administrative matters

Committee reports and recommendations

NOMENCLATURE COMMITTEE REPORT

This document is being distributed at the request of the Chairman of the Nomenclature Committee.

**CITES STANDARD REFERENCE FOR THE SPECIES OF *CORDYLUS* (Cordylidae, Reptilia)  
PREPARED AT THE REQUEST OF THE CITES NOMENCLATURE COMMITTEE.**

**Foreword**

The scope of the lizard genus *Cordylus* Laurenti remains *sub judice*. A recent molecular study of the Family Cordylidae (Frost *et al.*, 2001) suggests that *Pseudocordylus* A. Smith and *Chamaesaura* Schneider are nested within *Cordylus* Laurenti, and should therefore be regarded as junior synonyms of that genus. However, an ongoing expanded molecular study suggests that it may be desirable to partition *Cordylus* sensu lato into several discrete genera, which could result in the reinstatement of *Chamaesaura* (Mouton, pers. comm.). For the purposes of the present exercise, *Cordylus* is taken, in the sense of the CITES Appendices, as including the nominal genera *Pseudocordylus* and *Hemicordylus* (Crag Lizards), but *Chamaesaura* (Grass Lizards) is excluded because it was never listed on the CITES Appendices.

***Cordylus* Laurenti**

*Cordylus* Laurenti, 1768, *Synops. Rept.*: 51. Type species by tautonomy: *Lacerta cordylus* Linnaeus.

*Zonurus* Merrem, 1820, *Tent. Syst. Amphib.*: 57. Type species by monotypy: *Lacerta cordylus* Linnaeus.

*Pseudocordylus* A. Smith, 1838, *Mag. nat. Hist.* (2) 2: 32. Type species (Loveridge, 1944): *Cordylus (Pseudocordylus) montanus* A. Smith = *P. microlepidotus* (Cuvier).

*Hemicordylus* A. Smith, 1838, *Mag. nat. Hist.* (2) 2: 32. Type species by monotypy: *Cordylus (Hemicordylus) capensis* A. Smith.

**Distribution:** From South Africa north-west to the Huila Province of Angola and north-east to southern Ethiopia.

***Cordylus angolensis* (Bocage)**

Angolan Girdled Lizard

*Zonurus angolensis* Bocage, 1895, *Herpetol. Angola & Congo*: 25. Type locality: Caconda, Huila District, Angola.

Distribution: Angola highlands.

***Cordylus aridus* Mouton & van Wyk**

Dwarf Karoo Girdled Lizard

*Cordylus aridus* Mouton & van Wyk, 1994, *J. Herpetol. Assoc. Afr.* **43**: 15, Fig. 2-5. Type locality: Farm Botterkraal, Prince Albert District, Western Cape Province, South Africa.  
Distribution: South Africa: Western Cape Province, Farms Botterkraal and Bruinrante.

*Cordylus barbertonensis* (van Dam)

Barberton Girdled Lizard

*Zonurus barbertonensis* van Dam, 1921, *Ann. Transvaal Mus.* **7**: 240, Pl. iii. Type locality: Barberton [Mpumalanga Province], South Africa.  
Distribution: South Africa (Barberton District) and Swaziland (middleveld).

*Cordylus beraduccii* Broadley & Branch

Maasai Girdled Lizard

*Cordylus beraduccii* Broadley & Branch, 2002, *Afr. J. Herpetol.* **51** (1): 22, fig. 6.  
Type locality: Ndukusi village, 10 km SE of Lolkisale, Kiteto District, Arusha Region, Tanzania.  
Distribution: Northern Tanzania and southern Kenya (plateau areas).

*Cordylus breyeri* (van Dam)

Waterberg Girdled Lizard

*Zonurus breyeri* van Dam, 1921, *Ann. Transvaal Mus.* **7**: 239, Pl. i & ii. Type locality: Farm Geelhoutkop, Waterberg District [Northern Province, South Africa].  
Distribution: South Africa: Northern Province - Waterberg and environs.

*Cordylus campbelli* (FitzSimons)

Campbell's Girdled Lizard

*Zonurus campbelli* FitzSimons, 1938, *Ann. Transvaal Mus.* **19**: 189. Type locality: Farm Barby, 25 km west of Helmeringhausen, Great Namaqualand [Namibia].  
Distribution: Namibia: Bethanie District.

*Cordylus capensis* A. Smith

Graceful Crag Lizard

*Cordylus (Hemicordylus) capensis* A. Smith, 1838, *Mag. nat. Hist.*(2) **2**: 32. Type locality: South Africa [= Hottentots Holland Mountains], South Africa  
*Zonurus robertsi* van Dam, 1921, *Ann. Transvaal Mus.* **7**: 241, Pl. iv. Type locality: Klaver, Van Rhynsdorp District, South Africa.  
Distribution: South Africa: Western Cape Province.

*Cordylus cataphractus* Boie

Armadillo Girdled Lizard



*Zonurus laevigatus* FitzSimons, 1933, *Ann. Transvaal Mus.* **15**: 276, Fig. 1 & 2. Type locality: Entabeni, Zoutpansberg Mts [Northern Province, South Africa].  
Distribution: South Africa: Northern Province east of Longitude 29E E.

***Cordylus fasciatus*** A. Smith

Eastern Cape Crag Lizard

*Cordylus (Pseudocordylus) fasciatus* A. Smith, 1838, *Mag. nat. Hist.* **92**: 32. Type locality: South Africa [= rocky hills near Grahamstown].

*Cordylus (Pseudocordylus) Algoensis* A. Smith, 1838, *Mag. nat. Hist.* **92**: 32. Type locality: South Africa [= Algoa Bay].

*Pseudocordylus microlepidotus namaquensis* Hewitt, 1927, *Rec. Albany Mus.* **3**: 392, Pl. xxii, Fig. 1. Type locality: Namaqualand. [The status of this taxon is uncertain, but if valid it will require a new name, being preoccupied by *Cordylus namaquensis* Methuen & Hewitt 1914].  
Distribution: South Africa: Namaqualand to the southern Transkei (Eastern Cape Province).

***Cordylus giganteus*** A. Smith

Giant Girdled Lizard or Sungazer

*Cordylus giganteus* A. Smith, 1844, *Illus. Zool. S. Afr., Rept.*: Pl. 35, 36. Type locality: “Interior districts of South Africa on pinnacles of Quathlamba Mountains”.

*Zonurus derbianus* Gray, 1845, *Cat. Liz.*: 48 & 270. Type locality: South Africa.

Distribution: South Africa: northeastern Free State, southeastern Mpumalanga and western KwaZulu-Natal.

***Cordylus imkae*** Mouton & van Wyk

Rooiberg Girdled Lizard

*Cordylus imkae* Mouton & van Wyk, 1994, *J. Herpetol. Assoc. Afr.* **43**: 14, Fig. 2-5. Type locality: Lower slopes of the Rooiberg on the farm Wolfhok, Garies District, Namaqualand, South Africa.

Distribution: South Africa: Rooiberg Mts, Namaqualand.

***Cordylus jonesii*** (Boulenger)

Limpopo Girdled Lizard

*Zonurus jonesii* Boulenger, 1891, *Ann. Mag. nat. Hist.* (6) **7**: 417. Type locality: Murchison Range, northeast Transvaal [Northern Province, South Africa].

Distribution: Eastern Botswana, southern Zimbabwe, southern Mozambique, the Northern, Mpumalanga and KwaZulu-Natal Provinces of South Africa and eastern Swaziland.

***Cordylus jordani*** (Parker)

Jordan's Girdled Lizard

*Zonurus jordani* Parker, 1936, *Novit. zool.* **40**: 133. Type locality: Hoffnung, near Windhoek [Namibia].

Distribution: Central Namibia north of Aus.

***Cordylus langi*** (Loveridge)

Lang's Crag Lizard

*Pseudocordylus langi* Loveridge, 1944, *Bull. Mus. comp. Zool. Harv.* **95**: 73. Type locality: Mont-aux-Sources, Drakensberg [Lesotho].

Distribution: Summit of the Drakensberg on the border between Lesotho and KwaZulu-Natal, South Africa.

***Cordylus lawrenci*** (FitzSimons)

Lawrence's Girdled Lizard

*Zonurus lawrenci* FitzSimons, 1939, *Ann. Transvaal Mus.* **20**: 7, Fig. 2-4. Type locality: Lekkersing, Richtersveld, Little Namaqualand, South Africa.

Distribution: South Africa: Richtersveld, Northern Cape Province.

***Cordylus machadoi*** Laurent

Machado's Girdled Lizard

*Cordylus vittifer machadoi* Laurent, 1964, *Publ. cult. Comp. Diam. Angola* **67**: 49. Type locality: Leba, Humpata, near Sá da Bandeira at 1800 m, Huíla, Angola.

Distribution: Angola (Huila Province) and Namibia (extreme northern Kaokoveld).

***Cordylus macropholis*** (Boulenger)

Large-scaled Girdled Lizard

*Zonurus macropholis* Boulenger, 1910, *Ann. S. Afr. Mus.* **5**: 468, 494. Type locality: Little Namaqualand, South Africa.

Distribution: South Africa: coastal areas of Little Namaqualand.

***Cordylus mclachlani*** Mouton

McLachlan's Girdled Lizard

*Cordylus mclachlani* Mouton, 1986, *S. Afr. J. Zool.* **21**: 319, Fig. . Type locality: Koue Bokkeveld, near Ceres, South Africa.

Distribution: South Africa: Western Cape Province from Koue Bokkeveld to Nieuwoudtville.

***Cordylus melanotus*** A. Smith

Highveld Crag Lizard

*Cordylus (Pseudocordylus) melanotus* A. Smith, 1838, *Mag. nat. Hist.* (2) **2**: 32. Type locality: South Africa [= hills between the main branches of the Orange River east of Philippolis, Orange Free

State, restricted to Ficksburg District by De Waal (1978)].

Distribution: South Africa (highveld areas of Gauteng, Mpumalanga, Free State and KwaZulu-Natal Provinces) and northwestern Swaziland.

***Cordylus microlepidotus*** Cuvier

Western Cape Crag Lizard

*Lacerta Africana elegantissima* Seba, 1735, *Rerum naturalium Thesauri* **2**: 62, Pl. lxii, Fig. 6, Africa.

*Cordylus microlepidotus* Cuvier, 1829, *Règne animal*, Ed. 2, **2**: 33 (based on Seba's plate). Type locality: Africa.

*Zonurus wittei* Schlegel, 1834, *Tijdschr. naturl. Gescheid. Physiol.* **1**: 216, Pl. vii, Fig. 1a-c. Type locality: De zuidspits van Afrika.

*Cordylus (Pseudocordylus) montanus* A. Smith, 1838, *Mag. nat. Hist.* (2) **2**: 32. Type locality: South Africa [= Cape of Good Hope].

Distribution: South Africa: Western Cape Province from Table Mountain east to the Outeniqua Mountains.

***Cordylus minor*** FitzSimons

Dwarf Girdled Lizard

*Cordylus cordylus minor* FitzSimons, 1943, *Liz. S. Afr.*: 458. Type locality: just north of Matjesfontein [Western Cape Province], South Africa.

Distribution: South Africa, known only from the type locality.

***Cordylus mossambicus*** FitzSimons

Gorongosa Girdled Lizard

*Cordylus warreni mossambicus* FitzSimons, 1958, *Ann. Natal Mus.* **14**: 351. Type locality: Gorongosa Mountain [Sofala Province], Mozambique.

Distribution: Mozambique: Gorongosa Mountain southwest to the lower slopes of the Chimanimani Mountains on the Zimbabwe border.

***Cordylus namaquensis*** (Methuen & Hewitt)

Namaqua Girdled Lizard

*Zonurus namaquensis* Methuen & Hewitt, 1914, *Ann. Transvaal Mus.* **4**: 137. Type locality: Farm Narudas Süd, Great Karasberg District, Great Namaqualand [Namibia].

Distribution: Namibia: Karasberg District.

***Cordylus nebulosus*** (Mouton & van Wyk)

Dwarf Crag Lizard

*Pseudocordylus nebulosus* Mouton & van Wyk, 1995, *Amphibia-Reptilia* **16**: 391, Fig. 2a, 3-5. Type

locality: Northern slope of Landdroskop, Hottentots-Holland Mountains, South Africa.

Remarks: This name is preoccupied in *Cordylus* by *C. nebulosus* A. Smith 1838, a synonym of *C. cataphractus*, but as the latter appears to be the sister species of all other *Cordylus* (Frost *et. al.* 2001), it is soon likely to be placed in a new monotypic genus, so that a new name will not be required (Mouton, pers. comm.).

Distribution: South Africa: Hottentots-Holland Mountains, Western Cape Province.

***Cordylus niger*** Cuvier

Black Girdled Lizard

*Cordylus niger* Cuvier, 1829, *Règne animal*, Ed. 2, 2: 33. Type locality: Africa.

*Calyptoprymnus verecundus* De Vis, 1905, *Ann. Queensland Mus.* 6: 46, pl. xv. Type locality:

*Zonurus cordylus atrus* Power, 1930, *Ann. Transvaal Mus.* 14: 11, 16, Pl. i, Fig. 2. Type locality: Cape Peninsula, South Africa.

Distribution: South Africa: Western Cape Province - Table Mountain, Cape Peninsula and Saldanha Bay.

***Cordylus nyikae*** Broadley & Mouton

Nyika Girdled Lizard

*Cordylus nyikae* Broadley & Mouton, 2000, *Afr. J. Herpetol.* 49 (2): 169, Fig. 1. Type locality: near Chelinda Bridge, Nyika National Park, Malawi.

Distribution: Northern Malawi on the Nyika Plateau, Misuku Hills and at Chitipa.

***Cordylus oelofseni*** Mouton & van Wyk

Oelofsen's Girdled Lizard

*Cordylus oelofseni* Mouton & van Wyk, 1990, *S. Afr. J. Zool.* 25: 34, Fig. 3-6. Type locality: Dasklip Pass near Porterville, Western Cape Province, South Africa.

Distribution: South Africa: western borders of the Cape Fold Mountains.

***Cordylus peersi*** (Hewitt)

Peers' Girdled Lizard

*Zonurus peersi* Hewitt, 1932, *Ann. Natal Mus.* 7: 116, Pl. vi, Fig. 12. Type locality: Garies, Little Namaqualand, South Africa.

Distribution: South Africa: Namaqualand.

***Cordylus polyzonus*** A. Smith

Karoo Girdled Lizard

*Cordylus polyzonus* A. Smith, 1838, *Mag. nat. Hist.* (2) 2: 31. Type locality: South Africa.

Distribution: Western provinces of South Africa and southern Namibia.

***Cordylus pustulatus*** (Peters)

Herero Girdled Lizard

*Zonurus pustulatus* Peters, 1862, *Mber. Königl. Akad. Wiss. Berlin*: 19. Type locality: Neu-Barmen, Hereroland [Namibia].

Distribution: Namibia (Hereroland).

***Cordylus regius*** Broadley

Regal Girdled Lizard

*Cordylus warreni regius* Broadley, 1962, *Occ. Pap. natn. Mus. S. Rhodesia* 3 (26B): 808, Fig. 3. Type locality: Dora, Umtali [= Mutare] District, Zimbabwe.

Distribution: Zimbabwe: southern Mutare District.



***Cordylus rhodesianus*** (Hewitt) Zimbabwean Girdled Lizard  
*Zonurus cordylus rhodesianus* Hewitt, 1933, *Occ. Pap. Rhod. Mus.* **1**: 48, Pl. ix, Fig. 3. Type locality: Monte Cassino Mission, Macheke [Zimbabwe].  
Distribution: Zimbabwe: Eastern highlands and adjacent Mozambique on the Chimanimani Mountains.

***Cordylus rivae*** (Boulenger) Ethiopian Girdled Lizard  
*Zonurus rivae* Boulenger, 1896, *Ann. Mus. Civ. Stor. nat. Genova* (2) **17**: 8. Type locality: Giacorsa, Gallaland, Ethiopia.  
Distribution: Ethiopia - Sidamo Region.

***Cordylus spinosus*** (FitzSimons) Spiny Crag Lizard  
*Pseudocordylus spinosus* FitzSimons, 1947, *Ann. Natal. Mus.* **11**: 116, Fig. 1a-c, Pl. i, Fig. 5-6. Type locality: Cathkin Peak area, Drakensberg [KwaZulu-Natal], South Africa.  
Distribution: South Africa: lower slopes of the Drakensberg, from Giants Castle in KwaZulu-Natal to Golden Gate in the Free State.

***Cordylus subviridis*** A. Smith Drakensberg Crag Lizard  
*Cordylus (Pseudocordylus) sub-viridis* A. Smith, 1838, *Mag. nat. Hist.* (2) **2**: 33. Type locality: South Africa [= summit of the Drakensberg behind Kaffirland and Natal].  
Distribution: Drakensberg in Lesotho, eastern Free State and western KwaZulu-Natal, south to the Transkei, with an isolated population on the Amatola Mountains (Eastern Cape Province).

***Cordylus tasmani*** (Power) Tasman's Girdled Lizard  
*Zonurus cordylus tasmani* Power, 1930, *Ann. Transvaal Mus.* **14**: 12, 16, Pl. i, Fig. 4. Type locality: Dunbrody, Uitenhage District, South Africa.  
Distribution: South Africa: Algoa basin and St. Croix Island, Eastern Cape Province.

***Cordylus transvaalensis*** (FitzSimons) Northern Crag Lizard  
*Pseudocordylus subviridis transvaalensis* FitzSimons, 1943, *Liz. S. Afr.*: 469. Type locality: Woodbush, Pietersburg District [Northern Province, South Africa].  
Distribution: South Africa: restricted to isolated mountain peaks in the Northern Province (Wolkberg to Waterberg).

***Cordylus tropidosternum*** (Cope) Tropical Girdled Lizard  
*Zonurus tropidosternum* Cope, 1869, *Proc. Amer. Philos. Soc.* **11**: 169. Type locality: "Madagascar".

*Zonurus frenatus* Pfeffer, 1889, *Jahrb. Hamburg Wiss. Anst.* **6**: 6. Type locality: Mhonda [Tanzania].  
*Zonurus parkeri* Cott, 1934, *Proc. zool Soc. London*: 151. Type locality: Amatongas [Sofala Province, Mozambique].  
Distribution: East Africa from coastal Kenya, south through Tanzania to central Mozambique, extending west to southeast Democratic Republic of Congo (Katanga), northern Zambia, Malawi and northeastern Zimbabwe.

***Cordylus ukingensis*** (Loveridge) Ukinga Girdled Lizard  
*Zonurus ukingensis* Loveridge, 1932, *Bull. Mus. comp. Zool. Harv.* **72**: 378. Type locality: Tandala, Ukinga mountains, [southwestern Tanzania].  
Distribution: Tanzania: southern highlands, Ukinga and Udzungwa Mountains.

***Cordylus vandami*** (FitzSimons)

Van Dam's Girdled Lizard

*Zonurus vandami* FitzSimons, 1930, *Ann. Transvaal Mus.* **14**: 25, 30, Fig. 6-7. Type locality:

Gravelotte, near Leydsdorp [Northern Province, South Africa].

*Zonurus vandami perkoensis* FitzSimons, 1930, *Ann. Transvaal Mus.* **14**: 27, 30, Fig. 8-9. Type locality: Farm Perkoe, near Olifants River [Northern Province, South Africa].

Distribution: South Africa: Northern and Mpumalanga Provinces.

***Cordylus vittifer*** (Reichenow)

Transvaal Girdled Lizard

*Zonurus vittifer* Reichenow, 1887, *Zool. Anz.* **10**: 372. *Ann. Transvaal Mus.* **14**: 25, 30, Fig. 6-7. Type locality: Transvaal, South Africa.

*Zonurus tropidogaster* Boulenger, 1910, *Ann. S. Afr. Mus.* **5**: 468, 495. *Ann. Transvaal Mus.* **14**: 25, 30, Fig. 6-7. Type locality: Barberton, Transvaal [= Mpumalanga], South Africa.

Distribution: Southeast Botswana, Northwest, Northern, Gauteng, Mpumalanga, Free State and KwaZulu-Natal Provinces of South Africa, Swaziland and southwest Mozambique (eastern slopes of the Lebombo Range).

***Cordylus warreni*** (Boulenger)

Warren's Girdled Lizard

*Zonurus warreni* Boulenger, 1908, *Ann. Natal Mus.* **1**: 224, 232, Pl. xxxv. *Ann. Transvaal Mus.* **14**: 25, 30, Fig. 6-7. Type locality: Ubombo, Zululand [KwaZulu-Natal], South Africa.

Distribution: The Lebombo Range, from southeastern Mpumalanga Province south through eastern Swaziland and adjacent Mozambique to KwaZulu-Natal.

***Cordylus* : relevant taxonomic literature published subsequent to Wermuth, 1968 (*Tierreich* **87**: i-x, 1-30).**

Broadley, D.G. & W.R. Branch 2002. A review of the small east African *Cordylus* (Sauria: Cordylidae), with the description of a new species. *Afr. J. Herpetol.* **51** (1): 9-34.

Broadley, D.G. & P. le F. N. Mouton 2000. A new species of rupicolous *Cordylus* Laurenti from Malawi (Sauria: Cordylidae). *Afr. J. Herpetol.* **49** (2): 169-172.

De Waal, S.W.P. 1978. The Squamata (Reptilia) of the Orange Free State, South Africa. *Mem. nas. Mus. Bloemfontein* **11**: i-iii, 1-160.

Frost, D., D. Janies, P. le F.N. Mouton & T. Titus 2001. A molecular perspective on the phylogeny of the Girdled Lizards (Cordylidae, Squamata). *Amer. Mus. Novit.* 3310: 1-10.

Herselman, Y.M., P. le F.N. Mouton & J.H. van Wyk 1992. The status of the races of the graceful crag lizard, *Pseudocordylus capensis*, from South Africa. *Amphibia-Reptilia* **13**: 109-119.

Jacobsen, N.H.G. 1989. A herpetological survey of the Transvaal. Unpublished Ph. D. thesis: University of Natal at Durban.

Lang, M. 1991. Generic relationships within Cordyliformes (Reptilia: Squamata). *Bull. Inst. roy. Sci. nat. Belg. (Biologie)* **61**: 121-188.

Mouton, P. le F.N. 1986. Description of a new species of *Cordylus* Laurenti (Reptilia: Cordylidae) in the southwestern Cape, South Africa. *S. Afr. J. Zool.* **21**: 319-324.

Mouton, P. le F.N. & J.H. van Wyk 1989. *Cordylus minor*, a valid species of South African lizard (Reptilia: Cordylidae). *S. Afr. J. Zool.* **24**: 322-328.

Mouton, P. le F.N. & J.H. van Wyk 1990. The taxonomic status of the melanistic forms of the *Cordylus cordylus* complex (Reptilia: Cordylidae) in the southwestern Cape, South Africa. *S. Afr. J. Zool.* **25**: 31-38.

Mouton, P. le F.N. & J.H. van Wyk 1994. Taxonomic status of geographical isolates in the *Cordylus minor* complex (Reptilia: Cordylidae). A description of three new species. *J. Herpetol. Assoc. Afr.* **43**: 6-18.

Mouton, P. le F.N. & J.H. van Wyk 1995. A new crag lizard from the Cape Folded Mountains in South Africa. *Amphibia-Reptilia* **16**: 389-399.

### Index

A list of trivial names with the genus (subgenus) to which each was originally assigned. Page

*Algoensis*, *Cordylus* (*Pseudocordylus*)  
*angolensis*, *Zonurus*  
*aridus*, *Zonurus*  
*barbertonensis*, *Zonurus*  
*beraduccii*, *Cordylus*  
*breyeri*, *Zonurus*  
*campbelli*, *Zonurus*  
*capensis*, *Coprlylus* (*Hemicordylus*)  
*cataphractus*, *Cordylus*  
*cloetei*, *Cordylus*  
*coeruleopunctatus*, *Zonurus*  
*cordylus*, *Lacerta*  
*depressus*, *Zonurus*  
*derbianus*, *Zonurus*  
*dorsalis*, *Cordylus*  
*fasciatus*, *Cordylus* (*Pseudocordylus*)  
*flavus*, *Zonurus*  
*frenatus*, *Zonurus*  
*giganteus*, *Cordylus*  
*griseus*, *Cordylus*  
*imkae*, *Cordylus*  
*jonesii*, *Zonurus*  
*jordani*, *Zonurus*  
*laevigatus*, *Zonurus*  
*langi*, *Pseudocordylus*  
*lawrenci*, *Zonurus*  
*machadoi*, *Cordylus*  
*macropholis*, *Zonurus*  
*mclachlani*, *Cordylus*  
*melanotus*, *Cordylus* (*Pseudocordylus*)  
*microlepidotus*, *Cordylus*  
*minor*, *Cordylus*  
*montanus*, *Cordylus* (*Pseudocordylus*)  
*mossambicus*, *Cordylus*  
*namaquensis*, *Zonurus*  
*namaquensis*, *Pseudocordylus*  
*nebulosus*, *Cordylus*  
*nebulosus*, *Pseudocordylus*  
*niger*, *Cordylus*  
*nyikae*, *Cordylus*  
*oelofseni*, *Cordylus*  
*parkeri*, *Zonurus*

*peersi*, *Zonurus*  
*perkoensis*, *Zonurus*  
*polyzonus*, *Zonurus*  
*pustulatus*, *Zonurus*  
*regius*, *Cordylus*  
*rhodesianus*, *Zonurus*  
*rivae*, *Zonurus*  
*robertsi*, *Zonurus*  
*spinosus*, *Pseudocordylus*  
*subviridis*, *Cordylus* (*Pseudo cordylus*)  
*tasmani*, *Zonurus*  
*transvaalensis*, *Pseudocordylus*  
*tropidogaster*, *Zonurus*  
*tropidosternum*, *Zonurus*  
*ukingensis*, *Zonurus*  
*vandami*, *Zonurus*  
*verecundus*, *Calyptoprymnus*  
*vertebralis*, *Zonurus*  
*verus*, *Cordylus*  
*vittifer*, *Zonurus*  
*warreni*, *Zonurus*  
*witti*, *Zonurus*